

Figure 54: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Activity Rate seismological model. The contour interval is 0.01g.

## Strain Partitioning Model and 0.2%/year chance of exceedance




Figure 55: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 56: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 57: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 58: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 59: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 60: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 61: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.






Figure 62: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 63: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 64: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 65: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 66: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 67: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 68: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.




Figure 69: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.






Figure 70: Hazard map showing the peak ground acceleration (PGA) with 0.2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.05g.

## Strain Partitioning Model and 2%/year chance of exceedance




Figure 71: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 72: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 73: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 74: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 75: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 76: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 77: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.






Figure 78: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 79: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 80: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 81: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 82: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 83: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 84: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.




Figure 85: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.






Figure 86: Hazard map showing the peak ground acceleration (PGA) with 2% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.02g.

## Strain Partitioning Model and 10%/year chance of exceedance




Figure 87: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 88: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 89: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 90: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 91: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 92: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 93: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.






Figure 94: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 95: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 96: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 97: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 98: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 99: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 100: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.




Figure 101: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.






Figure 102: Hazard map showing the peak ground acceleration (PGA) with 10% average annual chance of exceedance from 2014 to 2017 and the Strain Partitioning seismological model. The contour interval is 0.01g.